


WATERGRAM

Capital Projects

The Hicksville Water District is constantly looking for ways to increase the efficiency and productivity of its facilities. To that end, Chairman Warren Uss and Commissioners Nicholas Brigandi and Karl M. Schweitzer, along with Superintendent Anthony Iannone and the entire District staff, work to ensure that the Hicksville community water supply is clean, safe and available for all needs. To achieve this goal, it is our responsibility to serve as environmental stewards, conscientious about our precious water supply and always looking toward the future. Capital improvements to Plant #1 and Plant #5 are two important projects that will secure our water supply for years to come.



Plant #1

Plant #1 is currently being upgraded to improve the treatment system for the removal of volatile organic compounds (VOC's) and the reduction of nitrate levels. The anticipated date of completion is this July. Our staff has worked through the winter to have all improvements completed for the high-demand summer months.




Plant #5

The District plans to break ground on the Plant #5 capital project this summer. The work will include the construction of an additional tower capable of removing VOC's. In addition, the District will upgrade the entire system for optimal efficiency.



COMMISSIONERS:



Warren Uss
Chairman



Karl M. Schweitzer
Treasurer



Nicholas J. Brigandi
Secretary

IN THIS ISSUE:

- ❖ Superintendent's Desk
- ❖ Summer Water Conservation Tips
- ❖ Warren Uss Appointed Chairman

Visit our Website for
More Information:
www.HicksvilleWater.org

Superintendent's Desk

The summer is right around the corner, and we are all looking forward to warm weather and green lawns after the bitter cold and snow-filled winter. But before getting ahead of ourselves, I want to stress the importance of protecting our water supply from contaminants. All of us, from our District staff and Commissioners, to all Hicksville residents, have the responsibility to be good stewards of our water supply, conscientious of conserving for the future.

In this issue you will read about some of the capital improvements taking place throughout the District. In the last year, Hicksville Water District has made substantial plans and renovations to our facilities. This summer we expect to break ground on our project at Plant #5, in which the entire system will be upgraded and the construction of an additional volatile organic compounds (VOC) removal tower will take place. Moreover, work at Plant #1 is nearly complete, with upgrades expected by July to improve VOC removal and reduce the nitrate level.

Capital projects, however, can only do so much without your mutual dedication to protect Long Island's underground water supply. The U.S. uses 79.6 billion gallons of groundwater per day, and less than 27 percent of that water comes from underground sources. All of the water supplied by the Hicksville Water District comes from underground sources, namely, the Magothy Aquifer. Throughout the summer, water usage increases, but please use your water wisely to conserve our most precious natural resource.

On a safety note, be assured that, as always, Hicksville Water District personnel carry photo identification cards with them at all times and travel in vehicles with Hicksville Water District lettering on the vehicle. If you suspect that an individual is an imposter utility worker, do not hesitate to verify District personnel; please use caution and call the District at 516-931-0814.

I wish each of you and your families a happy and healthy summer.

Best Regards,
Anthony Iannone
Superintendent, Hicksville Water District

Hicksville Water District Commissioner Karl M. Schweitzer Appointed to LICAP Legislative Board

Hicksville Water District Board of Commissioners Chairman Warren Uss proudly announces that fellow Commissioner Karl M. Schweitzer has been selected to represent the Nassau County Commissioners Association in the Long Island Commission for Aquifer Protection (LICAP). The LICAP legislature is the first joint Nassau-Suffolk initiative that will monitor Long Island's sole source aquifer, assess threats to the drinking water and recommend measures to protect it for future generations.

"Karl is extremely knowledgeable about the water industry, as he has been involved with the Hicksville Water District for more than 10 years," said Chairman Uss. "The efforts of the LICAP board will be instrumental in shaping the future of Long Island's water supply, and the water suppliers' continued ability to deliver high-quality water to each resident for years to come. We are proud to have him represent the Hicksville Water District and Nassau County."

2013 drinking water quality report

HICKSVILLE WATER DISTRICT
PUBLIC WATER SUPPLY IDENTIFICATION NO. 2902829

ANNUAL WATER SUPPLY REPORT

MAY 2014


The Hicksville Water District is pleased to present this year's Water Quality Report. The report is required to be delivered to all residents of our District in compliance with Federal and State regulations. This report is designed to inform you about the quality of water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We also want you to understand the efforts we make to continually improve the water treatment process and protect our water supply. The Board of Water Commissioners and the District employees are committed to ensuring that you and your family receive the highest quality water.

SOURCE OF OUR WATER

The source of water for the District is groundwater pumped from 15 wells located throughout the community that are drilled into the Magohty aquifer beneath Long Island, as shown on the adjacent figure. Generally, the water quality of the aquifer is good-to-excellent, although there are localized areas of contamination.

In order to ensure that our tap water is safe to drink, the State and the EPA prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. Similarly, the State Health Department's and the FDA's regulations establish limits for contaminants in bottled water which must provide the same protection for public health as tap water.

The population served by the Hicksville Water District during 2013 was 48,000. The total amount of water withdrawn from the aquifer in 2013 was 2.41 billion gallons, of which approximately 87.2% was billed directly to consumers, 3.6% was used for flushing and other hydrant use, 7.3% was lost to system breaks and leaks and 1.9% was used for system testing to waste (total 100% accounted for water). The District has enacted a rigorous leak detection and system repair program to minimize water loss due to leaks and breaks.



THE LONG ISLAND AQUIFER SYSTEM

WATER TREATMENT

The Hicksville Water District provides treatment at all wells to improve the quality of the water pumped prior to distribution to the consumer. The pH of the pumped water is adjusted upward to reduce corrosive action between the water and water mains and in-house plumbing by the addition of sodium hydroxide. Air stripping treatment units are located at Plant Nos. 1, 4, 5, 6, 8 and 9. The District also adds small amounts of calcium hypochlorite (chlorine) as a disinfection agent and to prevent growth of bacteria in the water distribution system. A nitrate removal system is currently being utilized at Plant No. 8 and a similar nitrate removal treatment system has been constructed at Plant No. 6. A granular activated carbon (GAC) system is employed at Plant No. 11.

WATER CONSERVATION MEASURES

The underground water system of Long Island has more than enough water for present water demands. However, saving water will ensure that our future generations will always have a safe and abundant water supply.

In 2013, the Hicksville Water District continued to implement a water conservation program in order to minimize any unnecessary water use. The pumpage for 2013 was 5 percent more than in 2012. This decrease in pumpage can most likely be attributed to a slightly hotter and drier of 2013.

Residents of the District can also implement their own water conservation measures such as retrofitting plumbing fixtures with low flow restrictors, modifying automatic lawn sprinklers to include rain sensors, repairing leaks in the home, installing water conservation fixtures/appliances and maintaining a daily awareness of water conservation in their personal habits. In addition, the Nassau County Lawn Sprinkler Regulations are still in effect. Besides protecting our precious underground water supply, water conservation will produce a cost savings to the consumer in terms of both water and energy bills (hot water).

WATER QUALITY

In accordance with State regulations, the Hicksville Water District routinely monitors your drinking water for numerous parameters. We test your drinking water for coliform bacteria, turbidity, inorganic contaminants, lead and copper, nitrate, volatile organic contaminants, total trihalomethanes and synthetic organic contaminants. Over 135 separate parameters are tested for in each of our wells numerous times per year. The table presented on page 3 depicts which parameters or contaminants were detected in the water supply. It should be noted that many of these parameters are naturally found in all Long Island drinking water and do not pose any adverse health effects.

CONTACTS FOR ADDITIONAL INFORMATION

We are pleased to report that our drinking water is safe and meets all Federal and State requirements. If you have any questions about this report or the Hicksville Water District, please contact Water District Superintendent Anthony Iannone at (516) 931-0184 or the Nassau County Department of Health at (516) 227-9692. We want our valued customers to be informed about our water system. If you want to learn more, please attend any of our regularly scheduled Board meetings. They are normally held on the second and fourth Tuesday of each month at 5:00 p.m. at the Water District office.

The Hicksville Water District routinely monitors for different parameters and possible contaminants in your drinking water as required by Federal and State laws. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some impurities. It's important to remember that the presence of these impurities does not necessarily pose a health risk. For more information on contamination and potential health risks, please contact the USEPA Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to disease causing microorganisms or pathogens in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly and infants can be particularly at risk from infections. These people should seek advice from their health care provider about their drinking water. EPA/CDC guidelines on appropriate means to lessen

COST OF WATER

The District utilizes a step billing schedule as shown with the average consumer being billed at \$0.90 per 1,000 gallons.

QUARTERLY WATER RATES

Consumption (gallons)	Charges
Up to 10,000	\$7.50 minimum
11,000 - 30,000	\$0.90/thousand gallons
31,000 - 50,000	\$1.15/thousand gallons
51,000 - 70,000	\$1.65/thousand gallons
Over 71,000	\$2.25/thousand gallons

the risk to infection by Cryptosporidium, Giardia and other microbial pathogens are available from the Safe Drinking Water Hotline (800-426-4791).

The USEPA established a Lead and Copper Rule that required all public water suppliers to sample and test for lead and copper at the tap. The first testing was required in 1992. All results were excellent indicating that the District's corrosion control treatment program was effective in preventing the leaching of lead and copper from your home's plumbing into your drinking water. The same testing is repeated every three years and was last conducted in 2011. Results of the 2011 testing also were excellent. The next round of testing will occur in 2014.

Some of the water from the Hicksville Water District has elevated levels of nitrates, but well below the maximum contaminant level of 10.0 parts per million. Nitrate in drinking water at levels about 10 ppm is a health risk for infants of less than six months of age. High nitrate levels in drinking water can cause blue baby syndrome. The source of the nitrates is the nitrogen in fertilizers and from on-site septic systems. If you are caring for an infant you should ask advice from your health care provider.

2013 DRINKING WATER QUALITY REPORT - TABLE OF DETECTED PARAMETERS

Contaminants	Violation (Yes/No)	Date of Sample	Level Detected (Maximum Range)	Unit Measurement	MCLG	Regulatory Limit (MCL or AL)	Likely Source of Contaminant
Inorganic Contaminants							
Copper	No	June - September 2011	ND - 0.05 0.02 ⁽¹⁾	mg/l	1.3	AL = 1.3	Corrosion of household plumbing systems; Erosion of natural deposits
Lead	No	June - September 2011	ND - 30.7 5.37 ⁽¹⁾	ug/l	0	AL = 15	Corrosion of household plumbing systems; Erosion of natural deposits
Sodium	No	09/11/13	5.6 - 30.3	mg/l	n/a	No MCL ⁽²⁾	Naturally occurring
Chloride	No	04/14/13	ND - 48.3	mg/l	n/a	MCL = 250	Naturally occurring
Calcium	No	09/11/13	3.7 - 14.7	mg/l	None	No MCL	Naturally occurring
Iron	No	09/12/13	ND - 100	ug/l	n/a	MCL = 300	Naturally occurring
Zinc	No	09/12/13	ND - 0.03	mg/l	n/a	MCL = 5	Naturally occurring
Nitrate	No	04/10/13	ND - 9.0	mg/l	10	MCL = 10	Runoff from fertilizer and leaching from septic tanks and sewage
Magnesium	No	09/11/13	1.6 - 5.2	mg/l	n/a	No MCL	Naturally occurring
Barium	No	09/11/13	ND - 0.02	mg/l	n/a	MCL = 2.0	Naturally occurring
Nickel	No	09/11/13	ND - 3	ug/l	n/a	MCL - 100	Naturally occurring
Sulfate	No	09/11/13	ND - 24.0	mg/l	n/a	MCL = 250	Naturally occurring
Synthetic Organic Contaminants Including Pesticides and Herbicides							
None Detected	--	--	ND	--	--	--	--
Volatile Organic Contaminants							
Tetrachloroethene	No	10/08/13	ND - 0.7	ug/l	0	MCL = 5	Industrial/Commercial discharge
Trichloroethene	No	10/08/13	ND - 1.7	ug/l	0	MCL = 5	Industrial/Commercial discharge
1,1,1-Trichloroethane	No	01/10/13	ND - 0.6	ug/l	0	MCL = 5	Industrial/Commercial discharge
1,1-Dichloroethane	No	01/10/13	ND - 0.8	ug/l	0	MCL = 5	Industrial/Commercial discharge
1,1-Dichloroethene	No	01/10/13	ND - 0.9	ug/l	0	MCL = 5	Industrial/Commercial discharge
Total Trihalomethanes	No	12/19/13	ND - 21.	mg/l	0	MCL = 80	Disinfection By-Products
Radionuclides							
Gross Alpha	No	10/08/13	ND - 5.55	pCi/L	n/a	MCL = 15	Naturally occurring
Gross Beta	No	10/08/13	0.35 - 2.9	pCi/L	n/a	MCL = 50	Naturally occurring
Radium 226	No	06/18/13	ND - 1.23	pCi/L	n/a	MCL = 5 ⁽³⁾	Naturally occurring
Radium 228	No	06/19/13	ND - 1.75	pCi/L	n/a	MCL = 5 ⁽³⁾	Naturally occurring
Unregulated Contaminants							
Perchlorate	No	04/09/13	ND - 8.0	ug/l	0	AL = 18 ⁽⁴⁾	Fertilizer
Unregulated Contaminant Monitoring Rule⁽⁵⁾							
1,4-dioxane	No	06/13/13	ND - 34.0	ug/l	n/a	MCL = 50	Industrial/Commercial discharge
Chromium	No	06/18/13	ND - 0.7	ug/l	100	MCL = 100	Natural deposits & industrial discharges
Cobalt	No	06/20/13	ND 2.6	ug/l	n/a	No MCL	Naturally occurring
Strontium	No	06/18/13	ND - 50.0	ug/l	n/a	No MCL	Naturally occurring
Hexavalent Chromium	No	06/25/13	ND - 0.4	ug/l	n/a	No MCL	Natural deposits & industrial discharges
Chlorate	No	06/18/13	ND - 77.0	ug/l	n/a	No MCL	Naturally occurring
1,1-Dichloroethane	No	06/25/13	ND - 0.8	ug/l	n/a	MCL = 5	Industrial/Commercial discharge
1,2,3-Trichloropropane	No	06/18/13	ND - 0.1	ug/l	n/a	MCL = 5	Industrial/Commercial discharge

Definitions:

Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible.

Maximum Contaminant Level Goal (MCLG) - The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Action Level (AL) - The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Milligrams per liter (mg/l) - Corresponds to one part of liquid in one million parts of liquid (parts per million - ppm).

Micrograms per liter (ug/l) - Corresponds to one part of liquid in one billion parts of liquid (parts per billion - ppb).

Non-Detects (ND) - Laboratory analysis indicates that the constituent is not present.

pCi/L - pico Curies per Liter is a measure of radioactivity in water.

⁽¹⁾ - During 2011, we collected and analyzed 32 samples for lead and copper. The 90% percentile level is presented in the table. The action levels for lead and copper were not exceeded at any site. The next round of sampling and testing will occur in 2014.

⁽²⁾ - No MCL has been established for sodium. However, 20 mg/l is a recommended guideline for people on high restricted sodium diets and 270 mg/l for those on moderate sodium diets.

⁽³⁾ - MCL is for Combined Radium 226 & 228.

⁽⁴⁾ - Perchlorate is an unregulated contaminant. However, the NYS Dept. of Health has established an action level of 18.0 ug/l.

⁽⁵⁾ - UCMR3 - Unregulated Contaminant Monitoring Rule 3 is a Federal water quality sampling program where water suppliers sample and test their source water for 1 year. Results will be used by the USEPA to determine if the contaminants need to be regulated in the future.

SOURCE WATER ASSESSMENT

The NYSDOH, with assistance from the local health department, has completed a source water assessment for this system, based on available information. Possible and actual threats to this drinking water source were evaluated. The source water assessment includes a susceptibility rating based on the risk posed by each potential source of contamination and how rapidly contaminants can move through the subsurface to the wells. The susceptibility of a water supply well to contamination is dependent upon both the presence of potential sources of contamination within the well's contributing area and the likelihood that the contaminant can travel through the environment to reach the well. The susceptibility rating is an estimate of the potential for contamination of the source water, it does not mean that the water delivered to consumers is, or will become contaminated. Please refer to section "Water Quality" for a list of the contaminants that have been detected. The source water assessments provide resource managers with additional information for protecting source waters into the future.

Our drinking water is derived from 15 wells. The source water assessment has rated most of the wells as having a very high susceptibility to industrial solvents and all of the wells as having a high susceptibility to nitrates. The very high susceptibility to industrial solvents is due primarily to point sources of contamination related to transportation routes and commercial/industrial facilities and related activities in the assessment area. The high susceptibility to nitrate contamination is attributable to unsewered, high density residential land use and related practices, in the assessment area, such as fertilizing lawns.

A copy of the assessment, including a map of the assessment area, can be reviewed by contacting the District Office.

The Hicksville Water District conducts over 10,000 water quality tests throughout the year, testing for over 130 different contaminants which have been undetected in our water supply including:

Arsenic	Dalapon	Bromochloromethane
Cadmium	Picloram	cis-1,2-dichloroethene
Chromium	Dicamba	1,1-Dichloropropene
Fluoride	Pentachlorophenol	1,2-Dichloroethane
Mercury	Hexachlorocyclopentadiene	1,2-Dichloropropane
Selenium	bis(2-Ethylhexyl)adipate	Dibromomethane
Silver	bis(2-Ethylhexyl)phthalate	Trans-1,3-Dichloropropene
Color	Hexachlorobenzene	cis-1,3-Dichloropropene
Turbidity	Benzo(A)Pyrene	1,1,2-Trichloroethane
Odor	Aldicarb Sulfone	1,3-Dichloropropene
Manganese	Aldicarb sulfoxide	Chlorobenzene
Ammonia	Aldicarb	1,1,1,2-Tetrachloroethane
Nitrite	Total Aldicarbs	Bromobenzene
Detergents (MBAS)	Oxamyl	1,1,2,2-Tetrachloroethane
Free Cyanide	Methomyl	1,2,3-Trichloropropene
Antimony	3-Hydroxycarbofuran	2-Chlorotoluene
Beryllium	Carbofuran	4-Chlorotoluene
Thallium	Carbaryl	1,2-Dichlorobenzene
Lindane	Glyphosate	1,3-Dichlorobenzene
Heptachlor	Diquat	1,4-Dichlorobenzene
Aldrin	Endothall	1,2,4-Trichlorobenzene
Heptachloro Epoxide	1,2-Dibromoethane (EDB)	Hexachlorobutadiene
Dieldrin	1,2-Dibromo-3-Chl.Propane	1,2,3-Trichlorobenzene
Endrin	Dioxin	Toluene
Methoxychlor	Chloroacetic Acid	Ethylbenzene
Toxaphene	Bromoacetic Acid	M,P-Xylene
Chlordane	Dichloroacetic Acid	O-Xylene
Total PCBs	Trichloroacetic Acid	Styrene
Propachlor	Dibromoacetic Acid	Isopropylbenzene (Cumene)
Alachlor	Total Haloacetic Acid	N-Propylbenzene
Simazine	Bromodichloromethane	1,3,5-Trimethylbenzene
Atrazine	Vinyl Chloride	Tert-Butylbenzene
Metolachlor	Bromomethane	1,2,4-Trimethylbenzene
Metribuzin	Chloroethane	Sec-Butylbenzene
Butachlor	Chlorodifluoromethane	4-Isopropyltoluene (P-Cumene)
2,4-D	Methylene Chloride	N-Butylbenzene
2,4,5-TP (Silvex)	Trans-1,2-Dichloroethene	
Dinoseb	2,2-Dichloropropane	

Copies of the Supplemental Data Package, which includes the water quality data for each of our supply wells utilized during 2013, are available at the Hicksville Water District office which is located at 4 Dean Street, Hicksville New York and the local Public Library.

We, at the Hicksville Water District, work around the clock to provide top quality water to every tap throughout the community. We ask that all our customers help us protect our water resources, which are the heart of our community, our way of life and our children's future.

Summer Tips to Conserve Water, Protect the Environment and Save on Your Water Bills

ODD/EVEN WATERING SCHEDULE IN EFFECT FOR SPRING/SUMMER 2014

To help lessen the negative impact on our environment, a mandated odd/even watering schedule has been implemented across Long Island.

The program is simple. If your home address ends in an **odd** number, you may water on **odd** days; if your address ends in an **even** number, you may water on **even** days.

Also keep in mind that per a Nassau County ordinance, watering is not permitted between the hours of 10 a.m. and 4 p.m. However, altering your schedule to include an evening watering regimen will ensure that your lawn remains healthy and your sprinklers work at maximum efficiency.



RAIN SENSORS HELP ENSURE A PLENTIFUL AND CLEAN WATER SUPPLY

As the summer heat approaches, the Board of Commissioners remind residents to conserve water while using sprinkler systems. Using too much water will increase your water bill, deplete the water supply and flood your lawn.

Hicksville Water District Chairman Warren Uss suggests installing rain sensors as part of your sprinkler system to ensure that automatic sprinklers will not turn on while it's raining. The sensors help determine when enough rainfall has occurred for the sprinkler to skip its next irrigation cycle.



QUICK TIPS TO PREVENT EXCESS WATER USE

Hicksville Water District Board of Commissioners Warren Uss, Nicholas Brigandi and Karl M. Schweitzer urge residents to inspect the fixtures in their homes for possible water loss that can increase their monthly bill. In addition, installing water-efficient appliances can reduce water use by 35,000 gallons per year in a single household.

"Leaks in the home account for an average of about 10,000 gallons of water lost every year," said Commissioner Brigandi. "It's important to check fixtures regularly for potential leaks, which can lead to a dramatic increase in monthly water bills."

These quick-fix tips will help prevent excess water use or water loss:

- Replacing the rubber flapper in your toilet when it is worn out is an easy way to avoid wasting water; flappers in need of replacement are one of the most common reasons for leaking toilets.
- Ensure a tight connection between your garden hose and the spigot. Making sure the hose is fully off after use will also reduce water waste.
- Tighten connections on showerheads if leaks appear after the shower is off.

Hicksville Water District

4 Dean Street
Hicksville, NY 11801 USA

(516) 931-0184
(516) 931-6506 (Fax)
www.HicksvilleWater.org

Presorted
First Class Mail
U.S. POSTAGE
PAID
Hicksville, NY 11802
Permit No. 1039

Board Meetings

Second and fourth Tuesday of the month at 5 p.m.
at the District office, unless otherwise announced.

Business Hours

8 a.m. to 4 p.m. weekdays

Superintendent

Anthony Iannone

Secretary to the Board

Mary Ellen Thorgramson

Commissioners

Warren Uss, Chairman
Karl M. Schweitzer, Treasurer
Nicholas J. Brigandi, Secretary

**24-Hour Emergency Number
(516) 931-0184****Member**

American Water Works Association
Long Island Water Conference
Nassau-Suffolk Water Commissioners Association

Proudly serving the Hicksville area since 1921.

Warren Uss Appointed Chairman

Hicksville Water District Hosts Organizational Meeting to Appoint Board of Commissioner Positions

During the Hicksville Water District's organizational meeting held on January 14, 2014, the Board of Water Commissioners appointed Warren Uss as Chairman for the 2014 year.

"I am honored to serve as Chairman and I am excited for the year ahead," said Chairman Uss. "We have made outstanding improvements in the last year by implementing a variety of infrastructure projects focusing on water quality and safety, and we look forward to building on that progress."

Chairman Uss is a third-generation and lifelong resident of Hicksville. He has been an active member of the Hicksville Fire Department for over 40 years. In addition, he is an ex-Captain of Emergency Company 5 and has served as chairman of numerous department and company committees during his membership, as well as trustee and past president of the Hicksville Exempt Benevolent Association. Chairman Uss previously dedicated his time to coaching in the Hicksville Little League Baseball Association as well as coaching basketball for Trinity Lutheran Church in Hicksville. He and his wife Dianne – also a lifelong Hicksville resident – are proud parents of Alexandra Lynn.

Also at the organizational meeting, Nicholas Brigandi was sworn into office for his 11th consecutive term as a Commissioner after being re-elected in a public election held on December 10, 2013. Commissioner Brigandi holds the position of secretary, and Commissioner Karl M. Schweitzer was appointed as treasurer.